



- ◆ Trabajo realizado por el equipo de la Biblioteca Digital de la Fundación Universitaria San Pablo-CEU
- ◆ Me comprometo a utilizar esta copia privada sin finalidad lucrativa, para fines de investigación y docencia, de acuerdo con el art. 37 del T.R.L.P.I. (Texto Refundido de la Ley de Propiedad Intelectual del 12 abril 1996)

BIBLIOGRAFIA

- Abbey NC, Block AJ, Green D y cols.: Measurement of pharyngeal volume by digitized magnetic resonance imaging. Effect of nasal continuous positive airway pressure. *Am Rev Respir Dis* 1989; 140: 717-723.
- Abt E, Wigdor H, Lobraico R, Carlson B, Harris D, Pyrcz R: Removal of benign intraoral using the CO₂ laser. *J Am Dent Assoc* 1987; 115: 729-731.
- Achauer BM, Van der Kam VM, Berns MW: Lasers in Plastic Surgery and Dermatology. Thieme Medical Publishers, Inc., New York, 1992.
- Adriani J, Savoie A, Naraghi M: Scope and limitations of topical anesthetics in anesthesiology practice. *Anesthesiol Rev* 1983; 10(7): 10-15.
- Alexander KJ, Amad KH, Cole VW: Observations on some clinical features of extreme obesity with particular reference to cardiorespiratory effects. *Am J Med* 1962; 32: 512.
- Algaba J, Camacho JJ, Navarro JJ. El ronquido y la apnea del sueño. Prodisa, San Sebastián 1994; 177.
- Alihanka J, Vaahtoranta K, Saarakivi I: A new method for long-term monitoring of the ballistocardiogram, heart rate and respiration. *Am J Physiol* 1981; 240: R384-392.
- American Sleep Disorders Association. International Classification of Sleep Disorders. Diagnostic and Coding Manual. Allen Press Inc., Lawrence, Kansas, 1990.
- American Thoracic Society. Indications and standards for cardio-pulmonary sleep studies. *Am Rev Respir Dis* 1989; 139: 559-568.
- Anch AM, Remmers JE, Bunce H: Supraglottic airway resistance in normal subjects and patients with occlusive sleep apnea. *J Appl Physiol* 1982; 53: 1158-1163.
- Andreani JF, Bellavoir A, Gold D, Dandrau JP: Laser a CO₂ et cavité buccale. *Actual Odontostomatol (Paris)* 1986; 153: 99-106.
- Apfelberg DB: Atlas of Cutaneous Laser Surgery. Raven Press, New York, 1992.
- Apfelberg DB y cols.: Evaluation and installation of surgical laser systems. Nueva York: Springer, 1987; 20, 22 y 36.
- Apfelberg DB: Summary of carbon dioxide laser usage in plastic surgery. *Scand J Plast Reconstr Surg* 1986; 20: 19-24.
- Argüero González M, España Tost AJ, Velasco Vancos V, Gay Escoda C: Telangiectasia hemorrágica hereditaria (enfermedad de Rendu-Osler-Weber). Presentación de un caso. *Odontología* 1994; 1: 15-22.
- Aserinsky E, Kleitman N: Regular occurring periods of eye motility and concomitant phenomena during sleep. *Science* 1953; 118: 273.
- Baca Pérez-Bryan R, Martínez González JM, Donado Rodríguez M: Estudio clinicomorfológico de la cicatrización de las incisiones producidas por bisturí

- láser de CO₂. *Rev Andaluza Odontol Estomatol* 1991; 1: 20-30.
- Baca Pérez-Bryan R, Martínez González JM, Blanco Jerez L, Gómez Font R, Donado Rodríguez M: Aplicación del láser CO₂ sobre la mucosa yugal: estudio de la cicatrización. *Rev Actual Odontostomatol Esp* 1993; 420: 31-37.
- Baker TL: Introducción al sueño y sus trastornos. *Clin Med NA* 1985; 6: 1177.
- Barak S, Kaplan I: The CO₂ laser in the excision of gingival hyperplasia caused by nifedipine. *J Clin Periodontol* 1988; 15: 633-635.
- Barak S, Katz J, Kaplan I: The CO₂ laser in surgery of vascular tumors of the oral cavity in children. *J Dent Child* 1991; 58: 293-296.
- Basu MK, Frame JW, Rhys Evans PH: Wound healing following partial glossectomy using the CO₂ laser, diathermy and scalped: a histological study in rats. *J Laryngol Otol* 1988; 102: 322-327.
- Bavitz JB, Catone GA, Happel MB, Heine RD: Comparison between CO₂ microsurgical laser and conventional meniscectomies in sheep: a preliminary report. *J Oral Maxillofac Surg* 1989; 47: 383-385.
- Bean J, Kramer JR, Khouw FE: A simplified method of taking radiographs for cephalometric analysis. *J Oral Surg* 1970; 28: 675.
- Billard M: Physiologie et pathologie du sommeil. *Rev Mal Resp* 1990; 7: 381-389.
- Biurrun O, Morello A, Traserra J: El ronquido y el síndrome de apneas obstructivas durante el sueño, vistos por el ORL. Puesta al día. *Otoneumo-alergia Práctica* 1992; 3: 1-3.
- Biurrun O: Síndrome de apneas durante el sueño. Optimización de las técnicas de tratamiento quirúrgico y de diagnóstico de la obstrucción de las vías aéreas superiores. Tesis doctoral, 1993.
- Blanco Jerez L, Martínez González JM, Baca Pérez-Bryan R, Sanz Arias R, Donado Rodríguez M: *Rev Andaluza Odontol Estomatol* 1992; 2: 156-163.
- Blassin R: Traitement du ronflement par cintrage du voile au laser. *JF ORL* 1993; 42: 129-132.
- Bonora M St, John WM, Bledsoe TA: Differential elevation by protryptiline and depression by diazepam of upper airway respiratory motor activity. *Am Rev Respir Dis* 1985; 131: 41-45.
- Borland LM, Casselbrandt M: The Bullard laryngoscope: a new indirect oral laryngoscope (pediatric version). *Anesth Analg* 1990; 70: 105-108.
- Borowiecki B, Pollak CP, Weitzman ED y cols.: Fibro-optic study of pharyngeal airway during sleep in patients with hypersomnia obstructive sleep apnea syndrome. *Laryngoscope* 1978; 88: 1310-1313.
- Bourgeois P: Augmentation de gencive attachée avec le laser CO₂. *Revue de la société internationale des lasers odonto-stomatologiques* 1989; 2: 20-24.
- Bradley TD, Brown IG, Grossman RF y cols.: Pharyngeal size in snorers, nonsnorers and patients with obstructive sleep apnea. *N Engl J Med* 1986; 315: 1327-1331.
- Bradley TD, Rutherford R, Grossman RF y cols.: Role of daytime hypoxemia in the pathogenesis of right heart failure in the obstructive sleep apnea syndrome. *Am Rev Respir Dis* 1985; 131: 835-839.
- Bray GA: Definition, measurement and classification of the syndromes of obesity. *Int J Obes*, 1978; 2: 99-112.
- Bray GA: Obesity in America. NIH Publication 1979; 6: 79-359.
- Broadbent WH: Cheyne-Stokes respiratory in cerebral haemorrhage. *Lancet* 1887; 1: 307-309.
- Brown IG, Bradley TD, Phillipson EA y cols.: Pharyngeal compliance in snoring subjects with and without obstructive sleep apnea. *Am Rev Respir Dis* 1985; 211-215.
- Brown B, Mc Lean PA, Boucher R, Zamel N, Hoffstein V: Changes in pharyngeal cross-sectional area with posture and application of continuous positive airway pressure in patients with obstructive sleep apnea. *Am Rev Respir Dis* 1987; 136: 628-632.
- Buezo O: Cirugía ambulatoria del síndrome de las apneas del sueño y de las roncopatías crónicas. Congreso Mundial de Cirugía Mínimamente Invasiva. Barcelona, 30 de julio de 1992.
- Buezo O: Cirugía ambulatoria del síndrome de las apneas del sueño y de las roncopatías crónicas. Congreso Latino-Americano de Rinología. Sao Paulo, septiembre de 1993.
- Buezo O: Cirugía ambulatoria con láser CO₂ para el tratamiento de las roncopatías crónicas. Congreso Nacional de la Sociedad Española de Otorrinolaringología y Patología Cervicofacial. Cádiz, 19 al 23 de septiembre de 1993.
- Buezo O: Cirugía ambulatoria de las roncopatías crónicas y del síndrome de las apneas obstructivas del sueño. Tesis doctoral. Universidad de Barcelona, 1995.
- Buezo O: Cirugía ambulatoria del síndrome de las apneas del sueño y de las roncopatías crónicas. Congreso Nacional de la Sociedad Española de Láser Médico-Quirúrgico. Valencia, febrero de 1994.
- Buezo O: Experience with the CO₂ LASER UPPP and the local anesthesia on more than 250 cases. Endoscopic Microsurgery Course in E.N.T. and Symposium of French Speaking Countries. Bruselas, 28 de mayo de 1993.
- Burnwell C, Robin E, Whaley R: Extreme obesity associated with alveolar hypoventilation. A Pickwickian syndrome. *Am J Med* 1956; 21: 811-818.
- Burstone CJ, James RB, Legan H, Murphy GA, Norton LA: Cephalometrics for orthognatic surgery. *J Oral Surg* 1978; 36: 269.
- Carroll JM: Fundamentos y aplicaciones del Láser. Traducción de L. Ibáñez-Morlán y M. Velasco Durán. Marcombo, S. A. Barcelona, 1974.
- Carskadon MA, Dement WC, Mitler M y cols.: Guidelines for the multiple sleep latency test (MSLT): A standard measure of sleepiness. *Sleep* 1986; 9: 519-524.
- Cartwright RD, Ristanovic R, Díaz F: Learning to sleep in the lateral position for positional sleep apnea. *Sleep Res* 1989; 18: 214.
- Cartwright RD: Prediction response to the tongue-retaining device for sleep apnea syndrome. *Arch Otolaryngol* 1985; 111: 385-388.
- Cartwright RD, Samelson CF: The effects of a nonsurgical treatment for obstructive sleep apnea. The tongue-retaining device. *JAMA* 1982; 94: 1142-1147.
- Caterall JR, Calvery PMA, Shapiro CM y cols.: Breathing and oxygenation during sleep are similar in normal men and in normal women. *Am Rev Respir Dis* 1985; 132: 86-88.
- Cervantes M de: El ingenioso Hidalgo Don Quijote de la Mancha. Madrid. Juan de la Cosa. 1605 (I parte) y 1615 (II parte): II parte Cap. IXX.
- Chaban R, Cole P, Hoffstein V y cols.: Site of upper airway obstruction in patients with idiopathic obstructive sleep apnea. *Laryngoscope* 1988; 98: 641-647.
- Chabolle F, Lachiver X, Fleury B, Marsot-Dupuch K, Lacau ST, Guily J, Meyer B, Chourad CH: Intérêt physiopathologique d'une étude céphalométrique par télé-radiographie et IRM dans le syndrome d'apnée du sommeil. Déductions thérapeutiques. *Ann Oto Laryngol* (París) 1990; 106-114.
- Chabolle F, Fleury B: La Ronchopathie chronique. París. Les monographies du cca Wagram 1992; 9-12.
- Chabolle F, Fleury B, De Corbière S, Pandraud L: Le traitement chirurgical du syndrome d'apnées du sommeil. *Rev Mal Resp*. Masson, París 1990; 7: 451-458.
- Chaudhary BA, Speir WA: Sleep apnea syndromes. *South Med J* 1982; 75: 39-45.
- Chiesa F, Tradati N, Sala L, et al: Follow-up of oral leukoplakia after carbon dioxide laser surgery. *Arch Otolaryngol Head Neck Surg* 1990; 116: 177-180.
- Chomette G, Auriol M, Labrouse F, Vaillant JM: Influence du rayonnement laser CO₂ sur les modalités morphologiques de la cicatrización cutanéomuqueuse en cirugía stomatológica. Analyse histoenzimológica et ultraestructural. *Rev Stomatol Chir Maxillofac* 1991; 92: 1-7.
- Chouard CH: La ronchopathie chronique, aspects cliniques et indications thérapeutiques. *Ann Otolaryngol* 1986; 103: 319-327.
- Chu F, Silverman S, Dedo HH: CO₂ laser treatment of oral leukoplakia. *Laryngoscope* 1988; 98: 125-130.
- Cisneros JL, Trelles MA: Láser y Terapéutica en Medicina y Cirugía Cutánea. Centro Documentación Láser, S. A.. 1.ª ed. Barcelona, enero 1987.
- Cisneros JL, Singla R, Oliveras F, Marti M: Precáncer cutaneomuqueoso, tratamiento con láser de CO₂. *Med Cutan Iber Lat Am* 1990; 18: 23-29.
- Clouet M, Laffitte F, Chavoïn JP, Boutalt F, Combelles R, Cadenat H: Traitement des affections de la muqueuse buccale par le laser a gaz carbonique. *Rev Stomatol Chir Maxillofac* 1986; 4: 227-232.
- Cole RJ, Kripke DF, Gruen W, Mullaney DJ, Gillin JC: Automatic sleep wake identification from wrist activity. *Sleep* 1992; 15: 461-469.
- Colvard M, Kuo P: Managing aphthous ulcers: laser treatment applied. *J Am Dent Assoc* 1991; 122: 51-53.
- Collop NA, Bolck AJ, Hellard D: The effect of nightly nasal CPAP treatment on underlying obstructive sleep apnea and pharyngeal size. *Chest* 1991; 99: 855-860.
- Conway W, Fujita S, Zorick F: Uvulopalatopharyngoplasty. One year follow up. *Chest* 1985; 88: 385-387.
- Cooper BG, Veale D, Griffiths CJ, Gibson GJ: Value of nocturnal oxygen saturation as a screening test for sleep apnea. *Thorax* 1991; 46: 580-588.
- Cottle M: Nasal nocturnal syndrome. Cit. por: Olsen KD. The nose and its impact on snoring and obstructive sleep apnea. David NF, Fairbanks y cols. Raven Press, New York 1987; 199-226.
- Cox MA, Schiebler GL, Taylor WJ, Wheat MW Jr, Krovetz LJ: Reversal of pulmonary hypertension in a child with respiratory obstruction and cor pulmonale. *J Pediatr* 1965; 67: 192.
- Crestinu JM: Intrapalatine resection (IPR) in the treatment of sleep apnea and snoring d'uvulo-palato-pharyngoplastie. *J Otolaryngol* 1989; 18(1): 36-43.
- Crumley RL, Stein M, Gamsu G y cols.: Determination of obstructive site in obstructive sleep apnea. *Laryngoscope* 1987; 97: 301-308.
- Davies SF, Iber C: Obstructive sleep apnea asociated with adult acquird micrognathia from rheumatoid arthristis. *Am Rev Respir Dis* 1983; 127: 245-247.
- Dejan Y, Crampette L: Insuffisance respiratoire d'origine pharyngée. Ronchopathie et syndrome d'apnée au cours du sommeil. Editions Techniques. Encycl Med Chir (París-Francia). *Oto-Rhino Laryngologie* 1992; 20-621 A-10.
- Dement W, Kleitmann N: Cyclic variation in EEG during sleep and their relation to eye movements, body motility, and dreaming. *Electroencephalogr Clin Neurophysiol* 1957; 9: 673.
- Derderian SS, Bridenbaugh H, Rajagopal KR: Neuropsychologic symptoms in obstructive sleep apnea improve after treatment with nasal continuous

- positive airway pressure. *Chest* 1988; 94: 1023-1027.
- Dickens C: The posthumous papers of the Pickwick Club. London, Chapman & Hall, 1837.
- Dickson RI, Blokmanis A: Treatment of obstructive sleep apnea by UPPP. *Laryngoscope* 1987; 97: 1054-1059.
- Douglas NJ: Nocturnal hypoxemia in patients with chronic obstructive pulmonary disease. *Clin Chest Med* 1992; 13: 523-532.
- Douglas NJ, Thomas S, Jan MA: Clinical value of polysomnography. *Lancet* 1992; 339: 347-350.
- Duclos P, Behlert V, Lenz P: Nouvelle technique de traitement chirurgical des lésions péri-apicales utilisant le laser au gaz carbonique. *Rev Odontostomatol* (Paris) 1990; 19: 143-150.
- Dufresne RG, Garrett AB, Bailin PL, Ratz JL: Carbon dioxide laser treatment of chronic actinic cheilitis. *J Am Acad Dermatol* 1988; 19: 876-878.
- Dugan H: Bedlam in the boudoir. *Collier's* 1947; Febr 22.
- Ell SR, Jolles H, Galvin JR: Cine CT demonstration of nonfixed upper airway obstruction. *Am J Roentgenol* 1986; 146: 669-677.
- Eppley BL, Kalenderian E, Delfino JJ: Facial nerve graft repair: suture versus laser-assisted anastomosis. *Int J Oral Maxillofac Surg* 1989; 18: 50-54.
- España Tost AJ, Velasco Vivancos V, Berini Aytés L, Gay Escoda C: Tratamiento de los angiomas bucales con láser de CO₂. *Rev Actual Odontostomatol Esp* 1994; 432: 34-38.
- España Tost AJ, Velasco Vivancos V, Gay Escoda C, Berini Aytés L: Enfermedad de Urbach-Wiethe: Presentación de un caso con afectación bucal tratado con láser de CO₂. *Av Odontostomatol* 1994; 10: 95-98.
- España Tost AJ, Velasco Vivancos V, Gay Escoda C, Berini Aytés L, Arnabat Domínguez: Aplicaciones del láser de CO₂ en Odontología. Ediciones Ergon. Madrid, 1995.
- Estopá R, Monasterio C, Escarrabill J: Conjuntivitis producida por un sistema de presión positiva continua de la vía aérea. *Arch Bronconeumol* 1992; 28: 193-194.
- Fairbanks NF: Dallas police holding woman in death of man who snored. *Washington Post* Dec 4: A9, 1983. Snoring and obstructive sleep apnea. Raven Press, 1987; 102: 239-245.
- Fairbanks DNF: Effect of the nasal surgery on snoring. *Southern Med J* 1985; 78: 268-270.
- Fairbanks DNF: Method of Fairbanks. Snoring and obstructive sleep apnea. Raven Press, New York 1987; 160-167.
- Fairbanks DNF: Uvulopalatopharyngoplasty complications and avoidance strategies. *Otolaryngol Head and Neck Surg* 1990; 98.
- Fairbanks DNF y cols.: Snoring: An overview with historical perspectives. Snoring and obstructive sleep apnea. Raven Press, New York 1987; 1-18.
- Fee WE, Ward PH: Permanent tracheostomy: a new surgical technique. *Ann Otol Rinol Laryngol* 1977; 86: 635-638.
- Findley LJ, Barth JT, Powers DC y cols.: Cognitive impairments in patients with obstructive sleep apnea and associated hypoxemia. *Chest* 1986; 90: 687-690.
- Fisher JG, Pena AM: Sleep apnea: A clinical perspective. *South Med J* 1981; 74: 950-954.
- Fisher SE, Frame JW, Frentzen M, Koort HJ, Melcer F, Melcer J: Le laser chirurgical en odontologie en 1989. *Chir Dent Fr* 1989; 491: 43-52.
- Fletcher EC, De Behnke RD, Lovot MS y cols.: Undiagnosed sleep apnea in patients with essential hypertension. *Ann Intern Med* 1985; 103: 190-195.
- Fletcher EC, Martin RJ: Sexual dysfunction and erectile impotencia in chronic obstructive pulmonary disease. *Chest* 1982; 81: 413-421.
- Fleury B, Chabolle F, Derenne JPh: Syndrome d'apnée du sommeil. *Réan Soins Intens Med Urg* 1988; 4: 87-92.
- Fleury B, Chabolle F, Laffont F, Schlegel H, Launios S, Ferrey-Hannin D, Meyer B, Derenne JP: Effects after 3 months of uvulopalatopharyngoplasty in the treatment of obstructive sleep apnea syndrome in adults. *Rev Mal Respir* 1989; 6: 519-524.
- Flynn MB, White M, Tabah RJ: Use of carbon dioxide laser for the treatment of premalignant lesions of the oral mucosa. *J Surg Oncol* 1988; 37:232-234.
- Fontenot R, Bailey BJ, Stiernberg CM, Jenicke JA: Endotracheal tube safety during laser surgery. *Laryngoscope* 1987; 97: 919-921.
- Frame JW, Morgan D, Rhys Evans PH: Tongue resection with the CO₂ laser: the effects of past radiotherapy on postoperative complications. *Br J Oral Maxillofac Surg* 1988; 26: 464-471.
- Friedman S, Rotstein I, Mahamid A: In vivo efficacy of various retrofills and of CO₂ laser in apical surgery. *Endod Dent Traumatol* 1991; 7: 19-25.
- Frith RW, Caut BR: Severe obstructive sleep apnea treated with long-term nasal continuous positive airway pressure. *Thorax* 1985; 40: 45-50.
- Fujita A, Conway WA, Zorick FJ: Evaluation of the effectiveness of uvulopalatopharyngoplasty. *Laryngoscope* 1985; 95: 70-74.
- Fujita S, Conway W, Zorick F, Roth T: Surgical correction of anatomic abnormalities of Obstructive Sleep Apnea Syndrome: uvulo-palatopharyngoplasty. *Otolaryngol Head Neck Surg* 1981; 89: 923-934.
- Fujita S: Pharyngeal surgery for obstructive sleep apnea syndrome. En: Fairbanks DNF, Fujita S, Ikematsu T, Simmons FB (eds.). Snoring and Obstructive Sleep Apnea. Raven Press, New York 1994, 101-115.
- Fujita S, Woodson T, Clark JL, Wittig R: Laser midline glossectomy as a treatment for obstructive sleep apnea. *Laryngoscope* 1991; 101: 805-809.
- Garden JM y cols.: Effect of DYE Laser pulse duration on selective cutaneous vascular injury. *J Invest Dermat* 1986; 87: 653-657.
- Gastaut H, Tassinari CA, Duran B: Polygraphic study of episodic diurnal and nocturnal manifestations of the Pickwickian Syndrome. *Rev Neurol* 1965; 112: 568-579.
- George CF, Millar TW, Kryger MH: Identification and quantification of apneas by computer-based analysis of oxygen saturation. *Am Rev Respir Dis* 1988; 137: 1238-1240.
- Gold AR, Schwartz AR, Bleecker ER, Smith PH: The effect of chronic nocturnal oxygen administration upon sleep apnea. *Am Rev Respir Dis* 1986; 134: 925-929.
- Goodenough DR, Witkin HA, Koulack D y cols.: The effects of stress films on respiration and eye movement activity during REM-sleep. *Psychophysiology* 1975; 12: 313-320.
- Gorback MS: Management of the challenging airway with the Bullard laryngoscope. *J Clin Anesth* 1991; 3: 473-477.
- Gosling JA y cols.: Human Anatomy, 1990. Gower Medical Publishing. Londres, 1990: 736-37-38-39.
- Gould GA, Whyte KF, Rhind GB y col.: The sleep hypopnea syndrome. *Am Rev Respir Dis* 1988; 137: 885-898.
- Grassino AE, Begin P: Rôles des muscles respiratoires dans l'interruption de l'apnée obstructive du sommeil. *Rev Mal Resp* 1990; 7: 403-410.
- Green DE, Block AJ, Abbey N y cols.: Magnetic resonance imaging measurement of pharyngeal volumes in asymptomatic snorers compared with non-snoring volunteers. *Am Rev Respir Dis* 1989; 139: A373.
- Guerry TL, Silverman S, Dedo HH: Carbon dioxide laser resection of superficial oral carcinoma: indications, technique, and results. *Ann Otol Rhinol Laryngol* 1986; 95: 547-555.
- Guilleminault C: Clinical features and evaluation of obstructive sleep apnea. En: Kryger M-H y cols. (eds.). Principles and practice of sleep medicine. W. B. Saunders 1989; 525-536.
- Guilleminault C, Conolly SJ, Winkle RA: Cardiac arrhythmias and conduction disturbances during sleep in 400 patients with obstructive sleep apnea syndrome. *Am J Cardiol* 1983; 52: 490-494.
- Guilleminault C, Eldrige FL, Dement WC: Insomnia with sleep apnea: A new syndrome. *Science* 1973; 181: 856-858.
- Guilleminault C, Hill MW, Simmons FB y cols.: Obstructive sleep apnea: Electromyographic and fiberoptic studies. *Exp Neurol* 1978; 62: 48-67.
- Guilleminault C, Rylel R, Powell N: Obstructive sleep apnea and abnormal cephalometric measurements. Implications for treatment. *Chest* 1984; 86: 793-794.
- Guilleminault C, Shea SA, McIvor J y cols.: Women and the obstructive sleep apnea syndrome. *Chest* 1988; 93: 104-109.
- Guilleminault C, Tilkian A, Dement WC: The sleep apnea syndromes. *Ann Rev Med* 1976; 27: 465-484.
- Guilleminault C, Van der Hoed J, Mitler MM: Clinical overview of the sleep apnea syndromes. En: Guilleminault C, Dement WC (eds.). Sleep apnea syndromes. Alan R. Liss, New York 1978: 1-12.
- Haina D, Landthaler M, Braun-Falco O, Waidelich W.: Comparison of the maximum coagulation depth in human skin for different types of medical lasers. *Lasers in Surgery and Medicine* 1987; 7: 355-362.
- Hall JB: The cardiopulmonary failure of sleep-disordered breathing. *JAMA* 1986; 255: 930-933.
- Hammer M, Garry B: Transillumination of the trachea with Flexillum. *Anesth Analg* 1985; 64: 91-92.
- Haponick EF, Smith PL, Meyers DA, Bleecker, ER: Evaluation of sleep-disordered breathing. Is polysomnography necessary? *Am J Med* 1984; 77: 671-677.
- Haponick EF, Smith PL, Bohlman ME, Allen RP, Goldman SM, Bleecker ER: Computerized tomography in obstructive sleep apnea. Correlation of airway size with physiology during sleep and wakefulness. *Am Rev Respir Dis*, 1983; 127: 221-226.
- Harman EM, Wynne JW, Block AJ: The effect of weight loss on sleep disordered breathing and oxygen desaturation in morbidly obese men. *Chest* 1982; 82: 291-294.
- Hecht J y Teresi D: El rayo láser. Biblioteca Científica Salvat. Salvat Editores, Barcelona, 1987; 4, 6, 114 y 217.
- Hill MW, Guillemet HC, Simmons FB: Fiberoptic and EMG studies in hypersomnia-sleep apnea syndrome. *Sleep Apnea Syndromes*. New York, Alan R. Liss, 1978.
- Hillerdal G, Hetta J, Lindholm C y cols.: Symptoms in heavy snorers with and without obstructive sleep apnea. *Acta Otolaryngol (Stockholm)* 1991; 111: 574-581.
- Hoffman EA, Nordberg JE, Gefler WB: 30 imaging of the upper airway in sleep apnea. *Am Rev Respir Dis* 1989; 139: A372.
- Hoffstein V, Zamel N, Phillipson EA: Lung volume dependence of pharyngeal cross-section. In patients with obstructive sleep apnea. *Am Rev Respir Dis* 1984; 130: 175-178.

- Horner RL, Mohiaddin RH, Lowell DG, Shea SA, Burman ED, Longmore DB, Guz A: Sites and sizes of fat deposits around the pharynx in obese patients with obstructive sleep apnea and weight matched controls. *Eur Respir J*, 1989; 2: 613-622.
- Hudgel GW, Harashick T, Katz RL y cols.: Uvulopalatopharyngoplasty in obstructive apnea. Value of preoperative localization of site of upper airway narrowing during sleep. *Am Rev Respir Dis* 1991; 143: 942-946.
- Hudgel DW, Hendricks C: Palate and hypopharynx sites of inspiratory narrowing of the upper airway during sleep. *Am Rev Respir Dis* 1988; 138: 1542-1547.
- Iber C, O'Brien C, Schluter J y cols.: Single night studies in obstructive sleep apnea. *Sleep* 1991; 14: 383-385.
- Ikematsu T: Study of snoring. Fourth report. Therapy. *Jpn Oto-Rhino-Laringol* 1964; 64:434-435.
- Issa FG, Sullivan CE: Reversal of central sleep apnea using nasal CPAP. *Chest* 1986; 90: 165-171.
- Jako GJ: Laser surgery of the vocal cords. An experimental study with carbon dioxide laser on dogs. *Laryngoscope* 1972; 82:2204-2216.
- Jamieson A, Guilleminault C, Partinen M, Quera-Salva MA: Obstructive sleep apnea patients have cranio-mandibular abnormalities. *Sleep* 1986; 9: 469-477.
- Kales A, Bixler EO, Cardieux RJ y cols.: Sleep apnea in a hypertensive population. *Lancet* 1984; 2: 1005-1008.
- Kamami YV: Traitement du ronflement par laser CO₂. Resultats préliminaires sur 31 cas. *Journal Français d'Oto-rhino-laryng* 1991; 40(3): 159-164.
- Kamami YV: Laser CO₂ for snoring. Preliminary results. *Acta Oto-Rhino-Laringologica Belg* 1990; 44: 451-456.
- Kamami YV: Ambulant Treatment of Sleep Apnea Syndrome with CO₂ Laser. American Society for Laser Medicine and Surgery Abstracts, Lasers in Surgery and Medicine. Paris 1993; 40.
- Kaminer R, Liebow C, Margarone JE, Zambon JJ: Bacteriemia following laser and conventional surgery in hamsters. *J Oral Maxillofac Surg* 1990; 48: 45-48.
- Kaplan I, Ascher PW: Laser surgery. Paz, Tel Aviv, 1979, 12, 79 y 114-01.
- Kardos TB, Holt T, Ferguson MM: Histological evaluation of the effect of a miniature carbon dioxide laser on oral mucosa. *Int J Oral Maxillofac Surg* 1989; 18: 117-120.
- Kardos TB, Ferguson MM: Comparison of cryosurgery and the carbon dioxide laser in mucosal healing. *Int J Oral Maxillofac Surg* 1991; 20: 108-111.
- Katsantonis GP, Maas CS, Walsh JK: The predictive efficacy of the Müller maneuver in uvulopalatopharyngoplasty. *Laryngoscope* 1989; 99: 677-680.
- Katsantonis GP, Walsh JK: Somnofluoroscopy: Its role in the selection of candidates for uvulopalatopharyngoplasty. *Otolaryngol Head Neck Surg* 1986; 94: 56-60.
- Keenan Brostein S: Respiratory monitoring during sleep: Poli-somnography. En: Guilleminault C (ed.), *Sleeping and Waking Disorders Indications and Techniques*. Butterworths, Boston 1982; 183-223.
- Kelly DH, Shannon DC: Periodic breathing in infants with near-miss sudden infant death syndrome. *Pediatrics* 1979; 64: 355-358.
- Khouw FE, Proffit WR, White RP: Cephalometric evaluation of patients with dento-facial disharmonies requiring surgical correction. *Oral Surg* 1970; 29: 789.
- King HK: Translaryngeal guided intubation using a sheath stylet. *Anesthesiology* 1985; 63: 567.
- Kna ST, Sant Ambrogio G: Pathophysiology of upper airway closure during sleep. *JAMA* 1991; 266: 1384-1389.
- Knuson RC, Meyer JB Jr, Montalvo R: Sleep apnea prosthesis for dentate patients. *J Prosthet Dent* 1992; 68: 109-111.
- Koopmann CH, Moran W: Tratamiento quirúrgico de apnea obstructiva del sueño. *Clínicas ORL de Norteamérica* 1990; 1: 789-809.
- Kraft M: Stylet laryngoscopy for oral tracheal intubation. *Anesthesiol Rev* 1982; 9(11/12): 35-37.
- Krespi YP, Har-El G, Levine TM, Ossof RH, Wurster CF, Paulsen JW: Laser lingual tonsillectomy. *Laryngoscope* 1989; 99: 131-135.
- Krespi YP: Tonsil Cryptolysis Utilizing CO₂ Swiftlase. American Society for Laser Medicine and Surgery Abstracts. Lasers in Surgery and Medicine. New York, 1993; 40.
- Kribbs NB, Pack A, Kline LR, Getsy JE, Schuett JS, Henry JN, Maislin G, Dinges DF: Effects of one night without nasal CPAP treatment on sleep and sleepiness in patients with obstructive sleep apnea. *Am Rev Respir Dis* 1993; 147: 1162-1168.
- Krieger J, Weitzenblum E, Monassier JP, Stoeckel CH, Kurtz D: Dangerous hypoxaemia during continuous positive airway pressure treatment of obstructive sleep apnea. *Lancet* 1983; 2: 1429-1430.
- Krol RC, Knuth SL, Bartlett D: Selective reduction of genioglossal muscle activity by alcohol in normal human subjects. *Am Rev Respir Dis* 1984; 129: 247-250.
- Kryger MH: Management of obstructive sleep apnea. *Clin Chest Med* 1992; 13: 481-492.
- Kulho W, Doll E, Fran M: Erfolgreiche Behandlung eines Picwick Syndroms durch eine dauertrichael canule. *Dtsch Med, Wochenschr* 1969; 94: 1286.

- Lanuis SH, Feroah TR, Campbell WN y cols.: Site of obstruction in obstructive sleep apnea: Influence on the outcome of uvulo-palatopharyngoplasty. *Am Rev Respir Dis* 1990; 141: 861.
- Lanzafame RJ, Hinshow JR, y cols.: Color atlas of CO₂, Laser. Surgical Techniques. Ishiyaku Euro-american. San Luis, 1988: 147, 234 y 235.
- Launois S, Whitelaw WA: Voies aériennes supérieures et troubles respiratoires au cours du sommeil. *Rev Mal Resp* 1990; 7: 391-402.
- Lavie P, Ben-Yosef R, Rubin AE: Prevalence of sleep apnea syndrome among patients with essential hypertension. *Am Heart J* 1984; 108: 373-376.
- Leech JA, Onal E, Lopata M: Nasal CPAP continues to improve sleep-disordered breathing and daytime oxygenation over long-term follow-up of occlusive sleep apnea syndrome. *Chest* 1992; 102: 1651-1655.
- Leinwoll S: Iniciación al Láser y Máser. Traducido por D. Santano. Paraninfo, Madrid, 1969.
- Levi AM, Tabakin BS, Harrison JS y cols.: Hypertrophied adenoids causing pulmonary hypertension and severe congestive failure. *N Engl J Med* 1967; 277: 506-512.
- Liistro G, Stanescu DC, Veriter C, Rodenstein DO, Aubert-Tulkens G: Pattern of snoring in obstructive sleep apnea patients and in heavy snorers. *Sleep* 1991; 14(6): 517-525.
- Liistro G, Stanescu D, Dooms G y cols.: Head position modifies upper airway resistance in men. *J Appl Physiol* 1988; 64: 1285-1288.
- Litovsky-Oules C, Litovsky B, Miro L: Expérimentation d'un prototype de laser CO₂ en pratique odontologique courante. *Actual Odontostomatol (París)* 1988; 163: 537-544.
- Lolli R, De Nisi S, De Luca M, Quagliarini GL: El láser CO₂ en el tratamiento de las lesiones benignas de la cavidad bucal. *Contribución clínica. Compendio* 1992; 6: 5-14.
- Lowe AA, Gionhaku N, Takeuchi K, Fleetham JA: Three dimensional CT reconstructions of tongue and airway in adult subjects with obstructive sleep apnea. *Am J Orthod Dentofac Orthop* 1986; 90: 364-374.
- Lueken P, Gallinat A, Morin C: Avances en cirugía endoscópica ginecológica. Salvat, Barcelona, 1991; VII-13.
- Lugaresi E, Cirignotta F, Gerardi R, Montagna P: Snoring and sleep apnea: Natural history of heavy snorers disease. En: C. Guilleminault y M. Partinen (eds.). *Obstructive sleep apnea syndrome: Clinical research and treatment*. Raven Press, Ltd., New York 1990.
- Lugaresi E, Cirignotta F, Coccagna G, Banuzi A: Snoring and the obstructive apnea syndrome. *Electroencephalogr Clin Neurophysiol* 1982; 35(Suppl): 421-430.
- Lugaresi E, Coccagna G, Cirignotta F: Snoring and its clinical implications. En: Guilleminault C, Dement WC (eds.). *Sleep apnea syndromes*. Alan R. Liss, New York 1978; 13-21.
- Luomanen M: Oral focal hyperplasia removed with CO₂ laser. *Int J Oral Maxillofac Surg* 1990; 19: 205-207.
- Luomanen M, Lehto VP, Meuran JH: Myofibroblasts in healing laser wounds of rat tongue mucosa. *Arch Oral Biol* 1988; 33: 17-23.
- Maltais F, Carrier G, Cormier Y, Series F: Cephalometric measurement in snorers, non-snorers, and patients with sleep apneas. *Thorax* 1990; 46: 419-423.
- Marshall WK: Management of the difficult airway. *Anesthesio Rev* 1984; 11(4): 18-22.
- Martin RJ, Sander MH, Gray BA, Pennock BE: Acute and longterm ventilatory effects of oxygen administration in adult sleep apnea syndrome. *Am Rev Respir Dis* 1982; 125: 175-180.
- Martínez González JM, Carrillo Baracaldo JS, Sada Lomas JM, Llanes Menéndez F, Donado Rodríguez M: Eficacia del láser de CO₂ en las glossectomías parciales. *Av Odontostomatol* 1989; 5: 451-457.
- Martínez González JM, Baca R, Del Canto M, Blanco L, Gómez R, Donado M: Frenillos bucales. Nuevo enfoque terapéutico. *Rev Eur Odontostomatol* 1991; 3: 377-382.
- Mata J, Guilleminault C, Schroeder JS, Dement WC: Tracheostomy and hemodynamic changes in sleep induced apnea. *Am Intern Med* 1978; 89: 454-458.
- Maxson BB, Scott RF, Headington JT, Arbor A: Management of oral squamous cell carcinoma in situ with topical 5-fluorouracil and laser surgery. *Oral Surg Oral Med Oral Pathol* 1989; 68: 44-48.
- McWhirter N, ed.: Guinness Book of World Records. New York: Bantam Books, 1986; 38.
- Melcer J, Melcer F: Possibilités et limites du laser à CO₂ en odonto-stomatologie. *Les entretiens de Bichat* 1986; 21-27.
- Menashe VD, Farrehi C, Miller M y cols.: Hypoventilation and cor pulmonale due to chronic airway obstruction. *J Pediatr* 1965; 67: 198-263.
- Meyer TJ, Scott EE, Lewis RK, Millman RP: One negative polysomnogram does not exclude obstructive sleep apnea. *Chest* 1993; 103: 765-760.
- Miljeteig H, Hoffstein V, Cole Ph.: The effect of unilateral and bilateral nasal obstruction on snoring and sleep apnea. *Laryngoscope* 1992; 102: 1150-1152.
- Millman RP, Kipp GJ, Carskadon MA: Sleep-walking precipitated by treatment of sleep apnea with nasal CPAP. *Chest* 1991; 99: 750-751.

- Minet JC, Levie P, Monnoye JP, Maisin JP, De Paep.: Techniques d'uvulopharyngoplastie pour ronflement. *Acta Oto-Rhino-Laryngologica Belg* 1992; 46: 337-342.
- Miserendino LJ, Waukegan: The laser apicoectomy: endodontic application of the CO₂ laser for periapical surgery. *Oral Surg Oral Med Oral Pathol* 1988; 66: 615-619.
- Mitler M: The multiple sleep latency test as an evaluation for excessive somnolence. En: Guilleminault, C. (ed.). Disorders of Sleeping and Waking: Indications and Techniques. Addison Wesley, Menlo Park, California 1982; 145-153.
- Modica LA: Pyogenic granuloma of the tongue treated by carbon dioxide laser. *J Am Geriatr Soc* 1988; 36: 1036-1038.
- Moorvees CFA, Keene MR: Natural head position: A basic consideration for analysis of cephalometric radiographs. *Am J Phys Anthropol* 1958; 16: 213-324.
- Moran WB, Orr WC, Fixley MS, Wittles EE: Diagnosis and management of sleep apnea syndromes. American Academy of Otolaryngology. *Head Neck Surg* 1985; 10: 335.
- Moran Jr WB: Obstructive sleep apnea: Diagnosis by history, physical exam, and special studies. En: Fairbanks DNF y cols. (eds.). Snoring and obstructive sleep apnea. Raven Press, New York 1987; 156-160.
- Motta J, Guilleminault C: Effects of oxygen administration in sleep induced apneas. En: Guilleminault C, Dement WC (eds.). Sleep apnea syndromes. Alan R. Liss, New York 1978; 137-144.
- Müller GJ, Berlien HP: Advances in Laser Medicine II. Safety and Laser Tissue Interaction. Ecomed, Landsberg, 1989.
- Nagorsky MJ, Sessions DG: Laser resection for early oral cavity cancer. Results and complications. *Ann Otol Rhinol Laryngol* 1987; 96: 556-560.
- Nahmias JS, Karetzky MS: Treatment of the obstructive sleep apnea syndrome using a nasopharyngeal tube. *Chest* 1988; 94: 1142-1147.
- Nemeth JR: Use both Nd-YAG and CO₂ lasers: *Dent Econ* 1992; 82: 79-83.
- Ohshiro T: Laser Treatment for Nevi. Medical Laser Research Co Ltd, Japón, 1980.
- Ohshiro T, Calderhead RG: Low Level Laser Therapy. A Practical Introduction. John Wiley & Sons Ltd, West Sussex, 1988.
- Orcel B, Fleury B, Derenne JPh.: Du ronflement au syndrome d'apnées du sommeil. *Rev Mal Resp* 1990; 7: 425-432.
- Orr WC, Martin RJ, Imes NK y cols.: Hypersomnolent and nonhypersomnolent patients with upper airway obstruction during sleep. *Chest* 1979; 75: 418.
- Oslor W: The principles and practice of medicine. Appleton, New York 1906; 431.
- Ovassapian A, Yelich SJ, Dykes MHM, Brunner EE: Blood pressure and heart rate changes during awake fiberoptic nasotracheal intubation. *Anesth Analg* 1983; 62: 951-954.
- Paiser J, Lavie P, Ovnat A, Charuzi L: Sleep apnea syndrome in the morbidly obese as an indication for weight reduction surgery. *Ann Surg* 1984; 199: 112-115.
- Palomaki H, Partien M, Juvela S, Kaste M: Snoring as a risk factor for sleep-related brain infarction. *Stroke* 1989; 20: 1311-1315.
- Panje WR, Scher N, Karmell M: Transoral carbon dioxide laser ablation for cancer, tumors and other diseases. *Arch Otolaryngol Head Neck Surg* 1989; 115: 681-688.
- Pareja JA, Moore JT: Tolerancia del tratamiento con presión nasal continua del síndrome de apnea obstructiva del sueño. *Med Clin* 1990; 95: 39.
- Partinen M, Guilleminault C, Quera-Salvá MA, Jamieson A: Obstructive sleep apnea and cephalometric roentgenograms. The role of anatomic upper airway abnormalities in the definition of abnormal breathing during sleep. *Chest*, 1988; 93: 1199-1205.
- Partinen M, Telakivi T: Epidemiology of obstructive sleep apnea syndrome. *Sleep* 1992; 15: S1-S4.
- Patil VU, Stehling LC, Zauder HL: Predicting the difficulty of intubation utilizing an intubation gauge. *Anesthesiol Rev* 1983; 10(8): 32-33.
- Pedro-Botet J, Roca A: Eficacia de la pérdida de peso en el tratamiento del síndrome de las apneas obstructivas en el sueño. *Med Clin* 1992; 98: 45-48.
- Peled I, Kaplan I: El láser de dióxido de carbono en cirugía plástica». *Cir Plast Ibero-latínamer* 1972; 1: 355-365.
- Peter JH: Sleep apnea and cardiovascular diseases. Obstructive sleep apnea syndrome: Clinical research and treatment. Raven Press Ltd., New York 1990; 81-98.
- Piché J, Gagnon B: Le ronflement: physiopathologie, traitement chirurgical et technique modifiée d'uvulo-palato-pharyngoplastie. *J Otolaryngol* 1989; 18(1): 36-43.
- Pogrel MA, Yen CK, Hansen LS: A comparison of carbon dioxide laser, liquid nitrogen cryosurgery and scalpel wounds in healing. *Oral Surg Oral Med Oral Pathol* 1990; 69:269-273.
- Pogrel MA: The carbon dioxide laser in soft tissue preprosthetic surgery. *J Prosthet Dent* 1989; 61: 203-208.
- Pogrel MA, McCracken KJ, Daniels TE: Histologic evaluation of the width of soft tissue necrosis adjacent to carbon dioxide laser incisions. *Oral Surg Oral Med Oral Pathol* 1990; 70: 564-568.
- Pringle MB y Croft CB: Sleep nasoendoscopy: A technique of assessment in snoring and obstructive sleep apnea. *Clin Otolaryngol* 1991; 16: 504-509.
- Pringle MB y Croft CB: A comparison of sleep nasoendoscopy and the Muller manoeuvre. *Clin Otolaryngol* 1991; 16: 559-562.
- Quesada P, Pedro-Botet y cols.: Resección parcial del paladar blando como tratamiento del síndrome de hipersomnia y respiración periódica de los obesos. *Acta Otorrinolaringológica Esp* 1979; 30: 119-124
- Ratz JL: Lasers in Cutaneous Medicine and Surgery. Year Book Medical Publishers Inc., Chicago, 1986.
- Rechtschaffen A, Kales A: A Manual of Standardized Terminology, Techniques, and Scoring System for Sleep Stages in Human Subjects. Los Angeles, Brain Information Service/Brain Research Institute, UCLA, 1968.
- Remmers JE: Anatomy and physiology of upper airway obstruction. En: Kryger M, Roth T, Dement WC: Principles and practice of sleep medicine. Saunders, Philadelphia 1989; 525-536.
- Remmers JE, De Groot WJ, Sauerland EK y cols.: Pathogenesis of upper airway occlusion during sleep. *J Appl Physiol Respir Environ Exercise Physiol* 1978; 44: 931-938.
- Remmers JE, Launois S, Feroah T, Whitelaw W: Mechanics of the pharynx in patients with obstructive sleep apnea. *Prog Clin Biol Res* 1991; 345: 261-271.
- Reynolds CF, Coble PA, Kupfer DJ, Holzer BC: Application of the multiple sleep latency test in disorders of excessive sleepiness. *Electroencephalogr Clin Neurophysiol* 1982; 53:443-44s.
- Rhys Evans PH, Frame JW, Brandrick J: A review of carbon dioxide laser surgery in the oral cavity and pharynx. *J Laryngol Otol* 1986; 100: 69-77.
- Rice Dale. Snoring. *Otolaryngol Clin North Am* 1986; 19(1): 135-139.
- Ricketts RM: The value of cephalometrics and computerized technology. *Angle Orthod* 1972; 42: 179.
- Riley R, Guilleminault C: Inferior osteotomy of the mandible and hyoid myotomy suspension: A new procedure for obstructive sleep apnea syndrome. *Otolaryngol Head Neck Surg* 1986; 94: 589-593.
- Riley R, Powell N, Guilleminault C, Nino-Murcia G: Maxillary, mandibular and hyoid advancement: An alternative to tracheostomy in obstructive sleep apnea syndrome. *Otolaryngol Head Neck Surg* 1986; 94: 548-588.
- Riley R, Guilleminault C, Herran J, Powell N: Cephalometric analyses and flow-volume loops in obstructive sleep apnea patients. *Sleep* 1983; 6: 303-311.
- Riley R, Guilleminault C, Powell N, Blair Simmons F: Palato-pharyngoplasty failure, cephalometric roentgenograms, and obstructive sleep apnea. *Otolaryngol Head Neck Surg* 1985; 93: 240-244.
- Riley R., Powell NB: Cirugía maxilofacial y síndrome de apnea obstructiva. En: Koopmann CF, WB (eds). Clínicas Otorrino-laringológicas de Norteamérica. México. Interamericana/McGraw-Hill 1990; 812.
- Riley RW, Powell NB, Guilleminault C: Inferior mandibular osteotomy and hyoid myotomy suspension for obstructive sleep apnea. *J Oral Maxillofac Surg* 1989; 47: 159-164.
- Riley RW, Powell NB, Guilleminault C: Maxillary, mandibular, and hyoid advancement for treatment of obstructive sleep apnea. *J Oral Maxillofac Surg* 1990; 48: 20-26.
- Riley RW, Powell NB, Guilleminault C: Obstructive sleep apnea syndrome: A review of 306 consecutively treated surgical patients. *Otolaryngol Head Neck Surg* 1993; 108: 121-125.
- Riley R, Powell N, Guilleminault C: Cephalometric roentgenograms and computerized tomographic scans in obstructive sleep apnea. *Sleep* 1986; 9: 514-515.
- Rivlin, J, Hoffstein V, Kalbfleisch J y cols.: Upper airway morphology in patients with idiopathic obstructive sleep apnea. *Am Rev Respir Dis* 1984; 129: 355-360.
- Roberts KW: New use for Swan-Ganz introducer wire. *Anesth Analg* 1981 60: 67.
- Rodenstein DO, Doms G, Thomas Y, Liistro G, Stanescu DC, Aubert-Tulkens G: Pharyngeal shape and dimensions in healthy subjects, snorers and patients with obstructive sleep apnea. *Thorax* 1990; 45: 722-727.
- Rodenstein DO, Thomas Y, Liistro G y cols.: Pharyngeal shape and size in snoring and sleep apnea. *Am Rev Respir Dis* 1989, 139: A373.
- Rojewski TE, Schuller DE, Clark RW y cols.: Synchronous video recording of the pharyngeal airway and polysomnograph in patients with obstructive sleep apnea. *Laryngoscope* 1982; 92: 246-250.
- Rojewski TE, Schuller DE, Clark RW y cols.: Videoscopic determination of the mechanism of obstruction in obstructive sleep apnea. *Otolaryngol Head Neck Surg* 1984; 92: 127-131.
- Rolfe I, Olson LG, Saunders NA: Long-term acceptance of continuous positive airway pressure in obstructive sleep apnea. *Am Rev Respir Dis* 1991; 144: 1130-1131.
- Roodenburg J, Panders AK, Vermey A: Carbon dioxide laser surgery of oral leukoplakia. *Oral Surg Oral Med Oral Pathol* 1991; 71: 670-674.
- Rosenberg H, Rosenberg H: Airway obstruction and causes of difficult intubation. En: Orkin FK, Cooperman LH. (eds.). Complications in anesthesiology. JB Lippincott, Philadelphia 1983; 125-136.
- Rossmann J, Gottlieb S, Koudelka B, McQuade MJ: Effects of CO₂ laser irradiation on gingiva. *J Periodontol* 1987; 58: 423-425.

- Roth T, Roehrs T, Carkadon M y cols.: Daytime sleepiness and alertness. *En: Kryger MH, Roth T, Dement WC (eds.). Principles and practice of sleep medicine.* W.B. Saunders, Philadelphia 1989; 14-23.
- Rundell OH, Jones RK: Métodos e interpretación de la polisomnografía. *En: Koopmann CF, WB (eds.). Clínicas Otorrino-laringológicas de Norteamérica.* Interamericana/McGraw-Hill, México 1990; 4: 583-592.
- Ryan CF, Lowe AA, Li D, Fleetham JA: Magnetic resonance imaging of the upper airway in obstructive sleep apnea before and after chronic nasal CPAP therapy. *Am Rev Respir Dis*, octubre de 1991.
- Ryan CFP, Lowe AA, Fleetham JA: Magnetic resonance imaging of the upper airway in obstructive sleep apnea. *Am Rev Respir Dis* 1989; 139: A373.
- Sahn SA, Lakshmi Narayan S, Pierson DJ, Vieil JW: Effect of ethanol on the ventilatory responses to oxygen and carbon dioxide in men. *Clin Sci Mol Med* 1975; 49: 33-38.
- Sanders MH: Nonsurgical management of snoring and Obstructive Sleep Apnea. *En: Fairbanks DNF, Fujita S, Ikematsu T, Simmons FB (eds.). Snoring and Obstructive Sleep Apnea.* Raven Press, New York 1994; 79-100.
- Sanders MH, Kern N: Obstructive sleep apnea treated by independently adjusted inspiratory and expiratory airway pressures via nasal mask. *Chest* 1990; 98: 317-324.
- Sanders MH, Kern NB, Costantino JP, Stiller RA, Studnicki K, Coates J, Orris S, Schimerman S: Adequacy of prescribing positive airway pressure therapy by mask for sleep apnea on the basis of a partial-night trial. *Am Rev Respir Dis* 1993; 147: 1169-1174.
- Sanders MH, Martin RJ, Pennock BE, Rogers RM: The detection of sleep apnea in the awake patient. *JAMA* 1981; 245: 2414-2418.
- Saunders PR, Giesecke AH: Clinical assessment of the adult. Bullard laryngoscope. *Can J Anaesth* 1989; 36: 5118-5119.
- Schroeder JS, Motta J, Guilleminault C: Hemodynamic studies in sleep apnea. *En: Guilleminault C, Dement WC (eds.). Sleep apnea syndromes.* Alan R. Liss, New York 1978; 177-196.
- Schwartz BA, Escande JP: Étude cinéradiographique de la respiration hypnique pickwickienne. *Rev Neurol* 1967; 87: 677-678.
- Sériès F, Cormier Y, La Forge J: Validity of diurnal sleep recording in the diagnosis of sleep apnea syndrome. *Am Rev Respir Dis* 1991; 143: 947-949.
- Sessler CN, Vitalini JC, Cooper KR, Jones JR, Powell KD, Pesko LJ: Comparison of 4 percent lidocaine/0.5 percent phenylephrine with 5 percent cocaine: Which dilates the nasal passage better? *Anesthesiology* 1986; 64: 274-277.
- Séguert C, Carles P, Kamami Y, Girschig H, Flury B: Traitement de la ronchopathie simple. Pharyngoplastie chirurgicale versus pharyngotomie au laser CO₂. *Ann Oto-Laryng.* París 1992; 109: 317-322.
- Shepard JW, Jr. (eds.): Cardiorespiratory changes in obstructive sleep apnea. *En: Kryger MH y cols. (eds.). Principles and practice of sleep medicine.* Saunders 1989; 537-551.
- Shepard JW, Jr., Garrison M, Grither D y cols.: Hemodynamic responses to O₂ desaturation in obstructive sleep apnea. *Am Rev Respir Dis* 1985; 131: A106.
- Shepard JW: Gas exchange and hemodynamics during sleep. *Med Clin North Am* 1985; 69: 1243-1263.
- Shepard JW, Gefer WB, Guilleminault C y cols.: Evaluation of the upper airway in patients with obstructive sleep apnea. *Sleep* 1991; 14: 361-371.
- Shepard JW, Thawley SE: Localization of upper airway collapse during sleep in patients with obstructive sleep apnea. *Am Rev Respir Dis* 1990; 141: 1350-1355.
- Sher AE, Thorpy MJ, Shprintzen RJ y cols.: Predictive value of Müller maneuver in selection of patients for uvulo-palatopharyngoplasty. *Laryngoscope*, 1985; 95: 1483-1486.
- Sher AE: The upper airway in obstructive sleep syndrome: pathology and surgical management. *En: Thorpy MJ, ed.: Handbook of sleep disorders.* Marcel Dekker, New York, 1990; 311-355.
- Simmons FB, Guilleminault C, Silvestri R: Snoring and some obstructive sleep apneas, can be cured by oropharyngeal surgery. *Arch Otolaryngol* 1983; 109: 503-507.
- Simmons FB, Guilleminault C, Mile LE: The Palatopharyngo-plasty operation for snoring and sleep apnea: an interim report. *Otolaryngol Head Neck Surg* 1984; 92: 375-380.
- Simmons FB, Hill MW: Hypersomnia caused by upper airway obstructions: A new syndrome in otolaryngology. *Ann Otol Rhinol Laryngol* 1974; 83: 670-673.
- Singer L, Saenger P: Complicaciones de la apnea obstructiva del sueño en pacientes pediátricos. *En: Koopmann CF, WB (eds.). Clínicas Otorrino-laringológicas de Norteamérica.* Interamericana/McGraw-Hill, México, 1990; 670.
- Skatvedt O: Continuous pressure measurements in the pharynx and esophagus during sleep in patients with sleep apnea syndrome. *Laryngoscope* 1992; 102: 1275-1280.
- Slauffer JL, Zwillich, CW, Cadieux, RJ y cols.: Pharyngeal size and resistance in obstructive sleep apnea. *Am Rev Respir Dis* 1987; 136: 623-627.
- Smith WV, Sorokin PP: El láser. Traducido por J. Sánchez-Solera. Paraninfo, Madrid, 1970.
- Sobel J: La ronchopathie chronique et son traitement. *Rev Med Suisse Romande* 1988; 108: 625-630.
- Solow B: The pattern of craniofacial associations. *Acta Odontologica Scandinavica* 1966; 24(suppl): 46.
- Spier S, Rivlin J, Rowe DR et al: Sleep in Pierre Robin Syndrome. *Chest* 1986; 90: 711-715.
- Stanley RJ, Rocknigk RK: Actinic cheilitis: treatment with the carbon dioxide laser. *Mayo Clin Proc* 1988; 63: 230-235.
- Stauffer JL, Buick MK, Bixler EO: Morphology of the uvula in Obstructive Sleep Apnea. *Am Rev Respir Dis* 1989; 140: 724-728.
- Steiner CC: Cephalometrics in clinical practice. *Angle Orthod* 1959; 29: 8
- Stone DJ, Stirt JA, Kaplan MJ, McLean WC: A complication of light wand guided nasotracheal intubation. *Anesthesiology* 1984; 61: 780-781.
- Stong MS, Jako, GJ: Laser surgery of the larynx: early clinical experience with continuous CO₂ laser. *Ann Otol Laryngol* 1972; 81: 791-798.
- Stoohs R, Guilleminault C: Investigations of an automatic screening device (MESAM) for obstructive sleep apnea. *Eur Respir J* 1990; 3: 823-829.
- Stradling JR, Crosby JH: Predictors and prevalence of obstructive sleep apnea and snoring in 1001 middle aged men. *Thorax* 1991; 46: 85-90.
- Stradling JR, Crosby JH, Payne CD: Self reported snoring and daytime sleepiness in men aged 35-65 years. *Thorax* 1991; 46: 807-810.
- Strelzow VV, Blanks RH, Basile A, Strelzow AE: Cephalometric airway analysis in obstructive sleep apnea syndrome. *Laryngoscope* 1988; 98: 1149-1158.
- Strohl KP, Hockje PL, Haacke AM y cols.: Localized variations in the response of the human upper airway to applied positive pressure. *Physiologist* 1988; 31: A37. 1990; 107: 159-166.
- Strohl KP, Redline S: Nasal CPAP therapy, upper-airway muscle activation, and obstructive sleep apnea. *Am Rev Respir Dis* 1986; 134: 555-558.
- Strumpf DA, Harrop P, Dobbin S, Millman MA: Massive epistaxis from nasal CPAP therapy. *Chest* 1989; 95: 1141.
- Sugerman HG, Fairman RP, Baron PL, Kwentus JA: Gastric surgery for respiratory insufficiency of obesity. *Chest* 1986; 89: 81-86.
- Sullivan CE, Grunstein RR, Marrone O y cols.: Sleep apnea-pathophysiology: Upperairway and control of breathing. *En: Guilleminault C, Partinen M (eds.). Obstructive sleep apnea syndrome. Clinical research and treatment.* Raven Press 1990; 49-70.
- Sullivan CE, Issa FG, Berthon-Jones M, Eves L: Reversal of obstructive sleep apnea by continuous positive airway pressure applied through the nares. *Lancet* 1981; 1: 862-865.
- Sullivan CE, Issa FG, Berthon-Jones J, Saunders NA: Pathophysiology of sleep apnea. *En: Saunders, NA, Sullivan, CE (eds.). Sleep and breathing.* Marcel Dekker, New York 1984; 299-363.
- Sullivan CE, Issa FG, Berthon-Jones M, Mc Cauley VB, Costas LJV: Home treatment of obstructive sleep apnea with continuous positive airway pressure applied through a nose mask. *Bull Eur Physiol Pathol Respir* 1984; 20: 49-54.
- Suratt PM, Dee P, Atkinson RL y cols.: Fluoroscopic and computed tomographic features of the pharyngeal airway in obstructive sleep apnea. *Am Rev Respir Dis* 1983; 127: 487-492.
- Suratt PM, Mater RF, Wilhoit SC: Collapsibility of naso-pharyngeal airway in obstructive sleep apnea. *Am Rev Respir Dis* 1985, 132: 967-971.
- Suratt PM, Wilhoit SC, Cooper K: Induction of airway collapse with subatmospheric pressure in awake patients with sleep apnea. *J Applied Physiol* 1984; 57: 140-146.
- Sutter R, Grossenbacher R: Resection of palatal tumours with the CO₂ laser. *J Laryngol Otol* 1990; 104: 20-23.
- Testut L, Jacob O: Anatomía Topográfica Humana. Salvat, Barcelona, 1979: 269-323.
- Thawley SE: Surgical treatment of obstructive sleep apnea. Symposium on sleep apnea disorder. *Med Clin North Am* 1985; 69: 1337-1358.
- Tilkian AG, Guilleminault C, Schroeder JS y cols.: Sleep induced apnea syndrome: Prevalence of cardiac arrhythmias and their reversal after tracheostomy. *Am J Med* 1977; 63: 348-358.
- Townes CH, Schawlow AL, Bloembergen N., Gould G, Maiman TH, Sorokin P, Javan A, Hall RN, Patel CKN, Bridges W, Silfvast WT, Ewing JJ, Mady JM: Laser Pioneer Interviews. High Tech Publications Inc., Torrance, California, 1985.
- Trelles MA, Rigau J: Interacción Láser Tejidos. Congreso Nacional de la Sociedad Española de Láser Médico-Quirúrgico. Valencia, febrero de 1994.
- Trelles MA: Soft Laser-Terapia. Enar, Madrid, 1982.
- Trelles MA, Mayayo E, Schmidt C, Iglesias JM, Barber JI: Láser para la Salud y la Estética. Etecnes, 1.ª ed., Barcelona, 1982.
- Trelles MA, Verkruysse W, Mayayo E, Pickering J, Rigau J: PWS tissue reactions show no wavelength dependency when using an Argon Pumped DYE laser and pulse lengths of 0.2 seconds. *Lasers in Medical Science* 1992; 7: 177-179.
- Tsuchiya M, Lowe A, Fleetham J: Obstructive sleep apnea subtypes by cluster analysis. *Am J Orthod Dentofac Orthop*. En prensa. 1991.
- Tucker WB, Toohill RJ: Transpalatal advancement pharyngoplasty for obstructive sleep apnea. *Laryngoscope* 1993; 103: 269-276.

- Tweed CH: The Frankfort-mandibular plane angle in orthodontic diagnosis, classification, treatment planning and prognosis. *Am J Orthod Oral Surg* 1946; 32: 175-230.
- Valero A: Hypoventilation in acquired micrognathia. *Arch Intern Med* 1965; 115: 307-310.
- Van Gemert MJC, Welch AJ, Tan OT, Parrish JA: Limitations of Carbon Dioxide Lasers for Treatment of Port-wine Stains. *Archives of Dermatology* 1987; 123: 71-73.
- Van Itallie T B: Health implications of overweight and obesity in the United States. *Ann Intern Med* 1985; 103: 983-988.
- Verkruysse W, Rigau J, Trelles MA, Mayayo E, Camps A, Vélez M, Pickering J: Tissue reactions in an animal model to flash lamp pulsed dye (565 nm) laser irradiation. *Lasers in Medical Science* 1992; 7: 178.
- Videgain Salaverria G, Aguirregaviria JI, Gómez Estacona N: Descripción de una técnica de tratamiento mediante CO₂ láser de un linfangioma de vías aerodigestivas superiores. *An Otorrinolaringol Ibero Am* 1987; 14: 145-152.
- Waldhorn RE: Cardiopulmonary consequences of obstructive sleep apnea. *En: David, N.F. Fairbanks y cols. (eds.). Snoring and obstructive sleep apnea.* Raven Press, New York 1987; 39-64.
- Waldhorn RE: Nocturnal nasal intermittent positive pressure ventilation with bi-level positive airway pressure (BIPAP) in respiratory failure. *Chest* 1992; 101: 516-521.
- Waldhorn RE, Herrick TW, Nguyen MC, O'Donnell AE, Sodero J, Potolicchio SJ: Long-term compliance with nasal continuous positive airway pressure therapy of obstructive sleep apnea. *Chest* 1990; 97: 33-38.
- Waters DJ: Guided blind intubation using a sheath stylet. *Anesthesiology* 1985; 63: 567.
- Watson CB, Claphem M: Transillumination for correct tube positions; use of a new fiberoptic endotracheal tube. *Anesthesiology* 1984; 60: 253.
- Watson CB: Fiberoptic bronchoscopy for anesthesia. *Anesthesiol Rev* 1981; 9(9): 17-26.
- Weinberg S, Kravath R, Phillips L, Mendez H, Wolf G: Episodic complete airway obstruction in children with undiagnosed obstructive sleep apnea. *Anesthesiology* 1984; 60: 356-358.
- Weis FR, Kaiser RE: Light wand-guided nasotracheal intubation is an effective technique. *Anesthesiology* 1985; 62: 839-840.
- Weitzmann ED, Pollack CP, Borowiecki B: The hypersomnia-sleep apneas syndrome: Site mechanism of upper airway obstruction. *En: Guilleminault C, Dement WC eds. Sleep Apnea Syndromes.* Alan R Liss, New York, 1978; 235-248.
- Williams AJ, Ju G, Santiago S, Stein M: Screening for sleep apnea using pulse oximetry and a clinical score. *Chest* 1991; 100: 631-635.
- Williams P, Warwick R: Gray Anatomia. *En: Gray Anatomia.* Salvat, Barcelona, 1985; 1436-1438.
- Williams SR, Carruth J: The role of the carbon dioxide laser in treatment of carcinoma of the tongue. *J Laryngol Otol* 1988; 102: 1122-1123.
- Willard B, Moran Jr.: Obstructive sleep apnea: Diagnosis by history, physical exam and special studies. *Snoring and obstructive sleep apnea.* Raven Press Ltd., New York 1987.
- Witting R, Fujita S, Fortier J y cols.: Results of uvulo-palatopharyngoplasty in patients with both oropharyngeal and hypopharyngeal collapse on Müller's maneuver. *Sleep Research* 1988; 17: 269.
- Woodson BT: Transpalatal advancement pharyngoplasty. *Snoring and obstructive sleep apnea.* Raven Press, New York 1994; 126-134.
- Wright S, Haight J, Zamel N y cols.: Changes in pharyngeal properties after uvulopalatopharyngoplasty. *Laryngoscope* 1989; 99: 62-69.
- Zorick F, Roehrs T, Conway W y cols.: Effects of uvulo-palatopharyngoplasty on the daytime sleepiness associated with sleep apnea syndrome. *Bull Eur Physiopathol Respir* 1983; 19: 600-603.